



DOSATRON®

An Ingersoll Rand Business



D07RE125 - 3 GPM INTERACTIVE SCHEMATICS

UNIT SPECIFICATIONS

- 1:667 - 1:80
- 4.3 - 85 PSI
- 3/4" NPT Connection


SUGGESTED INSTALLATION

- 200 mesh/80 micron water filter prior to the unit

SUGGESTED MAINTENANCE

- Injection Seal Kit
Part #: [PJDI106](#)
For yearly maintenance

DOCUMENT INSTRUCTIONS




- Click on a part #, to visit item page
- Click arrow back from item page, to return to this document



D07RE125


0.7 m³/h - 0.15 - 1.25%
3 GPM - 1:666 - 1:80
0.3 - 6 bar
4.3 - 85 psi



D07RE125/1005/D

D07RE125


0.7 m³/h - 0.15 - 1.25%
 3 GPM - 1:666 - 1:80
 0.3 - 6 bar
 4.3 - 85 psi



D07RE125

0.7 m³/h - 0.15 - 1.25%
 3 GPM - 1:666 - 1:80
 0.3 - 6 bar
 4.3 - 85 psi


D07RE125/1005/D



C+M

D07RE125

0.7 m³/h - 0.15 - 1.25%
3 GPM - 1:666 - 1:80
0.3 - 6 bar
4.3 - 85 psi



D07RE125/1005/D



D07RE125

N° SERIE


(N° 05370953 ➡)

0.7 m³/h - 0.15 - 1.25%

3 GPM - 1:666 - 1:80

0.3 - 6 bar

4.3 - 85 psi




D07RE125/1005/D

C+M


D07RE125

0.7 m³/h - 0.15 - 1.25%
 3 GPM - 1:666 - 1:80
 0.3 - 6 bar
 4.3 - 85 psi



D07RE125

0.7 m³/h - 0.15 - 1.25%
3 GPM - 1:666 - 1:80
0.3 - 6 bar
4.3 - 85 psi



D07RE125/1005/D


D07RE125/1005/D

D



D07RE125

0.7 m³/h - 0.15 - 1.25%
3 GPM - 1:666 - 1:80
0.3 - 6 bar
4.3 - 85 psi



D07RE125/1005/D

A